RATES – 2026 SOUTHERN PROVINCIAL IRRIGATION DEPARTMENT



දිස්තුික් ලේකළුවරුන් / පළාත් අථානම් ග ලේකම්වරුන් පළාත් අදහර්තාවේත්තු පුධානින් / පළාත් අධිකාරි පුධානින් ආයතන පුධාන්ත්

2026 වර්ෂය සදහා අනුමත ඉදිකිරීම් රේට් මිල ගණන්

දකුණු පළාත් මුලය වීනි සංගුහයේ වීනි 425 අනුව, දකුණු පළාත් පුධාන ලේකම්ගේ පුධානප්රියෙන් 2025.11.27 දින පැවති පළාත් රේව කම්ටුව විසින් 2026 වර්ෂය සදහා සකස් කර නිබෙන ගොඩනැගිලි. වාරිමාර්ග සහ මහාමාර්ග වීල ගණන් ලේඛන අනුමත කරන ලදී. අනුමත මිල ගණන් ලේඛන (BSR, ISR, HSR) පුධාන ලේකම් කාර්යාලයේ www.cs.sp.gov.lk වෙබ් අඩවියෙන් ලබාගන හැකිය.

02. 2026.01.01 දින සිට සකස් කරනු ලබන ඉදිකිරීම ඇස්තමෙන්තු එම මිල ගණන් අනුව සකස් කිරීම සදහා භාවිතා කල හැකි බව මෙමගින් කාරුණිකව දන්වා සිටීමි.

03. මෙව මිල ගණන් ලේචන වල සදහන් නොමැති විශේෂ මිල ගණන් සකස් කිරීමට සිදු වන අවස්ථාවන්හිදී අදාල විශේෂ මිල ගණන්(SSR) සහ විවලන වැඩ සදහා අවශා වන මිල විශ්ලේෂණ (Rate Breakdown) අනුමත කිරීමේ බලතල දකුණු පළාත් පුඩාන ලේකම් (මුදල්) වනුලේබ 11/2019 පුකාරව කියාන්මක කල යුතුය.

04. මෙම අනුමත වීල ගණන් ලේබන වල මීල ගණන්වල සංශෝධනයන් සිදු කිරීමට අවශා වුවහොන්, එම සංශෝධන පළාත් රේට කම්ටු ලේකළු විසින් අවශා අවස්ථාවන්හිදී දැනුවත් කිරීමට කටයුතු කරනු ඇත.

පළාත් රේට් කම්ටුව 2025.11.27 වන දින

සභාපති පුධාන ලේකව්, දකුණු පළාත

and form

ුවිර අවුතුවෙන් වුධාන දේකට අතුළු අදාන

المراحلة والمحالية والمراجع

යාමාජික නියෝජන පුධාන ලේකම (ඉංරිපක්රු සේවා), දකුණු පළාක get. ex

e.3.8.

මුල්ගාධ වි. උපකදුම මංග්මාදුඛාදේශට (උගතදුමෝ දී. අ ළබන පදිතට සාර්යාලය, ''ලබනු පළාත.

ශාවාරික නියෝජා පුධාන ලේකව (මුලා කළමනාකරණ), දකුණු පළාත

9h

එම් යක් පි එක් පි දුන්, ජ්යසේකර නියෝජ්ය පුටාන දෙකම් (කැලසුම් හා වේරුපසුම්) දෙකු පළාත් සැලසුව ලේකම් කාර්යාලය දුකේ 153 කි. එක් එම් දහනායක මාවය (ගැල්ල

සාමාරික නියෝජන පුධාන ලේකම (සැලසුව හා මෙහෙයුව), දකුණු පළාත

File Comments

ඉංපි.කි.එන්.කිබ්.දිකාගායක පළාත් වර්මාර්ත වේයන්න දකුණු පළාත් වර්මාර්ත දෙපාර්තමේශ්රුව දකුණු පළාත් දකුණු පළාත

සාමාරික පළාත් වාරිමාර්ග අධ්‍යක්ෂ, දකුණු පළාත් වාරිමාර්ග දෙපාර්තමේන්තු

සාමාජික සාමානනාධිකාරි, දකුණු පළාත් මාර්ග සංවර්ධන අධිකාරිය

සාමාජික ඉංජිනේරු, පළාත් පාලන දෙපාර්තමේන්තුව, දකුණු පළාත

සාමාජික නියෝජිත, මාර්ග සංවර්ධත අධිකාරිය

ලේකම අධාන්ෂ (ඉංජිනේරු) / පළාත් ගොඩනැගිලි අධාන්ෂ

	Rates for Survey		
Item code	Description	Uni	Rate 2026
SPID/SUR/01	Heavy jungle clearing along survey line 4'-0" (1.2m) wide	km	23,889.00
SPID/SUR/02	Medium jungle clearing along survey line 4'-0" (1.2m) wide	km	15,926.00
SPID/SUR/03	Light jungle clearing along survey line 4'-0" (1.2m) wide	km	11,945.00
SPID/SUR/04	Secondry growth jungle clearing along survey line 4'-0" (1.2m) wide 50% of Light jungle clearing	km	5,972.00
SPID/SUR/05	Shrub jungle clearing along survey line 4'-0" (1.2m) wide 50% Light jungle clearing	km	8,958.00
SPID/SUR/06	Survey excluding off setting - 1.5 km/day	km	6,250.00
SPID/SUR/07	Survey including off setting - 0.75 km/day	km	12,500.00
SPID/SUR/08	Levelling L.S at 30m intervals/change of grade establish B.MM & fly back 1.5km/day	km	6,250.00
SPID/SUR/09	Levelling L.S at 30m intervals/change of grade establish B.MM & the fly back inclusive of chaining, cutting jungle pegs and pegging 1 km/day	km	9,375.00
SPID/SUR/10	Levelling L.S and C.SS(less than 15m on either side of centre line) at 30m intervals/change of grade establish B.MM & the fly back 1 km/day	km	9,375.00
SPID/SUR/11	Levelling L.S and C.SS (Less than 15 m on either side of centre line) at 30m intervals/change of grade establish B.MM & fly back inclusive of chaining, cutting jungle pegs and pegging 0.75km/day	km	12,500.00
SPID/SUR/12	Levelling L.S and C.S (More than 15 m but less than 30m on either side of centre line) at 30m intervals/change of grade establish B.MM & fly back 0.75km/day	km	12,500.00
SPID/SUR/13	Levelling L.S and C.S (More than 15 m but less than 30m on either side of centre line) at 30 m intervals/change of grade, establish B.MM and fly back inclusive of chaining, cutting jungle pegs and pegging 0.5 km/days	km	18,750.00
SPID/SUR/14	Site survey for structures including all details 0.40 Ha/day	Ha	23,438.00

Prepared by:

D.P. Kokila

Drawing Office Assistant

Recommended by:

L.V.D. Sanjeewa

Chief Irrigation Engineer

Checked By:

H.M.M. Priyashan Design Engineer

Approved By:

D.N.W.Dissanayake
Provincial Director of Irrigation
Eng. D.N.W.Dissanayake
Provincial Director of Irrigation
Provincial Irrigation Department
Southern Province

Rates for Maintenance

Item Code	Description	Uni t	Rate 2026
SPID/MAIN /01	Shrub jungle clearing along the channel bund and removing out side of the reservation and burning (by manually)		54.00
SPID/MAIN /02	Secondary growth clearing along the channel bund removing out side of the reservation & burning by manually	m^2	36.00
SPID/MAIN /03	Weeding along the channel bund, Removing out side of the reservation & burning (By manually)	m^2	16.00
SPID/MAIN /04	Desiliting along the drainage channel lift 0'-5' houl 0'-100' (By manually)	m^3	2,337.00
SPID/MAIN /05	Removal of water plants in channel and throw out of the reservation & burning (By manually)	m^2	33.00
SPID/MAIN /06	Clearing side of drains in channel system including removal the obstacals, Plants throw out the reservation & burning (By manually)	m^3	2,856.00
SPID/MAIN /07	Cutting sand bar by manually (without profit) For 1 Cu	m^3	3,213.00
SPID/MAIN /08	Scrafing top surface of the bund (By manually)	m^2	98.00
SPID/MAIN /09	Stripping top soil to a depth of 3" removal all roots and throw out of the reservation and burning (By manually)	m^3	2,856.00
SPID/MAIN /10	Channel clearing including removal of water plants, suspended matter deposited and dump out of the reservation by manually	m^2	136.00
SPID/MAIN /11	Formation of channel bund using dredge materials including ,placing ,Shaping &Compacting by manually	m^3	803.00

Prepared by:

D.P. Kokila

Drawing Office Assistant

Recommended by:

L.V.D. Sanjeewa

Chief Irrigation Engineer

Checked By:

H.M.M. Priyashan Design Engineer

Approved By:

D.N.W.Dissarayake Provincial Director of Irrigation

Eng.C.N. bulblooming Previncial Director of Irrigation Provincial Irrigation Department Southern Province Rates for Construction Work

Item code	Description Description	Uni t	Rate 2026
SPID/CON/A/01	Shrub jungle clearing along channel bund in or borrow area by manually	m ²	54.00
SPID/CON/A/02	Light jungle clearing along channel bund in or borrow area by manually	m ²	72.00
SPID/CON/A/03	Medium jungle clearing along channel bund in or borrow area by manually.	m ²	. 99.00
SPID/CON/A/04	Heavy jungle clearing along channel bund in or borrow area by manually.	m ²	130.00
SPID/CON/A/05	Secondary growth clearing along channel bund in or borrow area by manually.	m ²	36.00
SPID/CON/A/06	Felling of isolated Trees (0 m $-$ 1.5m) girth, cutting branches using chainsaw and removing out side of reservation by manually (dia = 1.6 ft)(dia = 0.48 m)	No.	4,025.00
SPID/CON/A/07	Felling of Isolated Trees (1.5m - 3.0m) girth, cutting branches using chainsaw and removing out side reservation by manually	No.	14,372.00
SPID/CON/A/08	Felling of Isolated Trees (3.0m - 4.5m) girth, cutting branches using chainsaw and removing out side reservation by manually	No.	33,230.00
B - Demolition	e '		
SPID/CON/B/01	Demolishing & removing existing 1:3:6 cement concrete parts by manually	m ³	10,925.00
SPID/CON/B/02	Demolishing & removing existing 1:2:4 cement concrete parts by manually	m ³	24,012.00
SPID/CON/B/03	Demolishing & removing existing random rubble masonery wall parts by manually	m ³	4,017.00
C - Earthwork			
SPID/CON/C/01	Stripping top soil, cut and lift 0 m-1.5 m haul 30m by manually.	m ³	2,857.00
SPID/CON/C/02	Supply earth and transport 1/4 mile by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	2,755.00
SPID/CON/C/03	Supply earth and transport 1/2mile by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	2,861.00
SPID/CON/C/04	Supply earth transport 3/4mile by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	2,967.00
SPID/CON/C/05	Supply earth and transport 1 mile by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	3,073.00
SPID/CON/C/06	Supply earth and transport 1 1/4 miles by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	3,179.00

SPID/CON/C/07	Supply earth and transport 1 1/2 miles by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	3,285.00
SPID/CON/C/08	Supply earth and transport 1 3/4 miles by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	3,392.00
SPID/CON/C/09	Supply earth and transport 2 miles by tipper / lorry placing, spreading by backhoe loader and compacting by 8T roller watering to be done as per Engineers instructions	m ³	3,498.00
SPID/CON/C/ID I	Earth Excavation, spoil for bund / back fill / dump, cut & lift (0 - 1.5m), haul 30m by manually	m ³	3,382.00
SPID/CON/C/II I	Earth Excavation, spoil for bund / back fill / dump, cut & lift 0 - $1.5 \mathrm{m}$ no haul by manually	m ³	2,668.00
	Earth Excavation, spoil for bund / back fill / dump, cut & lift 1.5 - 3.0m, haul 30m by manually	m ³	5,360.00
SPID/CON/C/13 I	Gravel Excavation, spoil for dump/pile, cut & lift 0 - 1.5m, haul 30m by manually	m ³	4,137.00
SPID/CDIN/C/14 I	Gravel excavation from borrow area and placing, spreading & compaction, haul 30m by manually	m ³	4,651.00
SPID/CON/C/IS I	Earth excavation and 20% back filling, including, watering, cut & lift 0 - 1.5m, haul 30m by manually	m ³	3,553.00
SPID/CON/C/16 I	Earth excavation and 20% back filling, including, watering, cut & lift, 1.5m - 3m, haul 30m by manually	m ³	5,531.00
	Earth excavation and 40% back filling including watering, cut & lift 0 - 1.5m, haul 30m by manually	m ³	3,699.00
SPILI/CONVICTION I	Earth excavation and 40% back filling, including watering, cut & lift (1.5 - 3.0m) haul 30m by manually	m ³	5,677.00
SPID/CON/C/19 I	Supplying & filling of sand, up to designed bed level, due to uneven surface of the canal bed by manually	m ³	10,526.00
	Placing & compaction earth in dam/embankment including watering by manually	m ³	813.00
SPID/CON/C//I	Placing & compacting earth in canal bund/ backfill including watering by manually	m ³	755.00
SPID/CON/C///	Turfing in tank bund slopes /channel bund slopes ,watering till turf take roots, including loading / unloading without local transport	m ²	278.00
SPID/CON/C/23	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by tractor (1km transport)	m ²	571.00

SPID/CON/C/24	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by lorry (1km transport)		644.00
SPID/CON/C/25	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by tractor (2km transport)		580.00
SPID/CON/C/26	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by lorry (2km transport)		662.00
SPID/CON/C/27	Turfing in tank bund slopes/ channel bund slopes, watering till turf take roots, including loading / unloading with local transport by tractor (3km transport)	m ²	589.00
SPID/CON/C/28	Turfing in tank bund slopes/ channel bund slopes, watering till turf take roots, including loading / unloading with local transport by lorry (3km transport)	m ²	679.00
SPID/CON/C/29	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by tractor (4km transport)		599.00
SPID/CON/C/30	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by lorry (4km transport)	m ²	696.00
SPID/CON/C/31	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by tractor (5km transport)	m²	608.00
SPID/CON/C/32	Turfing in tank bund slopes/channel bund slopes, watering till turf take roots, including loading / unloading with local transport by lorry (5km transport)	m ²	714.00
SPID/CON/C/33	Suppling, Placing, Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 1 km transport by tipper / lorry (consider 1 sq.)	m²	1,821.00
SPID/CON/C/34	Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 1¼ km transport by tipper / lorry (consider 1sq)	m ²	1,825.00
SPID/CON/C/35	Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 1½km transport by tipper / lorry (consider 1 sq)	m ²	1,829.00
SPID/CON/C/36	Suppling, Placing Planting turfis in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 13/4m transport by tipper / lorry (consider 1 sq)	m ²	1,834.00

Suppling, Placing Planting turfsin tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2 km transport by tipper / lorry (consider 1 sq.) 1,842.00				
Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by t	SPID/CON/C/37	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2 km transport by tipper / lorry (consider 1		1,838.00
SPID/CON/C/39 slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3 km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½km transport by tipper / lorry (consider 1 sq) 1,864.00 m²	SPID/CON/C/38	Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 21/4 km transport by tipper / lorry (consider 1		1,842.00
SPID/CON/C/40 slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2½km transport by tipper / lorry (consider 1 sq) 1,851.00	SPID/CON/C/39	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 2½km transport by tipper / lorry (consider 1		1,847.00
SPID/CON/C/41 slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3 km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) 1,860.00	SPID/CON/C/40	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 234km transport by tipper / lorry (consider 1		1,851.00
SPID/CON/C/42 slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) 1,869.00	SPID/CON/C/41	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3 km transport by tipper / lorry (consider 1		1,855.00
SPID/CON/C/43 slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfs in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3¾ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfis in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 4 km transport by tipper / lorry (consider 1 sq) SPID/CON/C/46 Earth excavation foundation, 0' - 5' ,haul 100' by manually M³ 3,382.00 SPID/CON/C/47 Earth excavation foundation 0' - 5' no haul by manually Earth excavation from borrow area and forming channel bund, including placing, compacting & watering cut & lift 0'- 5' haul 200' by manually Earth excavation from borrow area forming channel bund including placing, compacting & watering, no haul by manually Earth excavation from paddy fields, including placing, compacting m³ 2,540.00 SPID/CON/C/50 Earth excavation from paddy fields, including placing, compacting m³ 3	SPID/CON/C/42	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 31/4 km transport by tipper / lorry (consider 1		1,860.00
SPID/CON/C/44 slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3¾ km transport by tipper / lorry (consider 1 sq) Suppling, Placing Planting turfis in tank bund slopes / channel bund slopes watering till turf take roots (W/O turf cutting loading) including unloading and 4 km transport by tipper / lorry (consider 1 sq) SPID/CON/C/46 Earth excavation foundation, 0' - 5' ,haul 100' by manually m³ 3,382.00 SPID/CON/C/47 Earth excavation foundation 0' - 5' no haul by manually m³ 2,668.00 Earth excavation from borrow area and forming channel bund, including placing, compacting & watering cut & lift 0'- 5' haul 200' by manually SPID/CON/C/49 Earth excavation from borrow area forming channel bund including placing, compacting & watering, no haul by manually SPID/CON/C/50 Earth excavation from paddy fields, including placing, compacting m³ 2,540.00 SPID/CON/C/50 Earth excavation from paddy fields, including placing, compacting m³ 3,230.00	SPID/CON/C/43	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3½ km transport by tipper / lorry (consider 1 sq)	m ²	1,864.00
SPID/CON/C/45 slopes watering till turf take roots (W/O turf cutting loading) including unloading and 4 km transport by tipper / lorry (consider 1 sq) SPID/CON/C/46 Earth excavation foundation, 0' - 5' ,haul 100' by manually SPID/CON/C/47 Earth excavation foundation 0' - 5' no haul by manually Earth excavation from borrow area and forming channel bund, including placing, compacting & watering cut & lift 0'- 5' haul 200' by manually SPID/CON/C/49 Earth excavation from borrow area forming channel bund including placing, compacting & watering, no haul by manually SPID/CON/C/50 Earth excavation from paddy fields, including placing, compacting m ³ 2,540.00	SPID/CON/C/44	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 3¾ km transport by tipper / lorry (consider 1 sq)	m ²	1,869.00
SPID/CON/C/47 Earth excavation foundation 0' - 5' no haul by manually Earth excavation from borrow area and forming channel bund, including placing, compacting & watering cut & lift 0'- 5' haul 200' m ³ SPID/CON/C/49 Earth excavation from borrow area forming channel bund including placing, compacting & watering, no haul by manually SPID/CON/C/50 Earth excavation from borrow area forming channel bund including placing, compacting & watering, no haul by manually Earth excavation from paddy fields, including placing, compacting m ³ 3 230 00	SPID/CON/C/45	slopes watering till turf take roots (W/O turf cutting loading) including unloading and 4 km transport by tipper / lorry (consider 1	m ²	1,873.00
Earth excavation from borrow area and forming channel bund, including placing, compacting & watering cut & lift 0'- 5' haul 200' m ³ SPID/CON/C/49 Earth excavation from borrow area forming channel bund including placing, compacting & watering, no haul by manually Earth excavation from paddy fields, including placing, compacting m ³ 2,540.00	SPID/CON/C/46	Earth excavation foundation, 0' - 5', haul 100' by manually	m ³	3,382.00
SPID/CON/C/48 including placing, compacting & watering cut & lift 0'- 5' haul 200' m ³ 3,968.00 by manually SPID/CON/C/49 Earth excavation from borrow area forming channel bund including placing, compacting & watering, no haul by manually Earth excavation from paddy fields, including placing, compacting m ³ 2,540.00	SPID/CON/C/47	Earth excavation foundation 0' - 5' no haul by manually	m ³	2,668.00
placing, compacting & watering, no haul by manually Earth excavation from paddy fields, including placing, compacting 3 230 00	SPID/CON/C/48	including placing, compacting & watering cut & lift 0'- 5' haul 200'	m ³	3,968.00
SPID/CON/C/50 Earth excavation from paddy fields, including placing, compacting m ³ 3 230 00	SPID/CON/C/49		m ³	2,540.00
	SPID/CON/C/50	Earth excavation from paddy fields, including placing, compacting	m ³	3,230.00

SPID/CON/C/51	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1/4 mile transport by tractor	m ³	2,873.00
SPID/CON/C/52	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1/4 mile transport by lorry	m ³	3,128.00
SPID/CON/C/53	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1/2 mile transport by tractor .	m ³	2,917.00
SPID/CON/C/54	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1/2 mile transport by lorry	m ³	3,210.00
SPID/CON/C/55	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 3/4 mile transport by tractor	m ³	2,960.00
SPID/CON/C/56	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 3/4 mile transport by lorry	m ³	3,291.00
SPID/CON/C/57	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 mile transport by tractor.	m ³	3,004.00
SPID/CON/C/58	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 mile transport by lorry.	m ³	3,373.00
SPID/CON/C/59	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 1/4 mile transport by tractor .	m ³	3,048.00
SPID/CON/C/60	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 1/4 mile transport by lorry	m ³	3,455.00
SPID/CON/C/61	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 1/2 mile transport by tractor	m ³	3,092.00
SPID/CON/C/62	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 1/2 mile transport by lorry	m ³	3,536.00
SPID/CON/C/63	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 3/4 mile transport by tractor	m ³	3,136.00
SPID/CON/C/64	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 1 3/4 mile transport.by lorry	m ³	3,618.00
SPID/CON/C/65	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 2 mile transport by tractor.	m ³	3,180.00
SPID/CON/C/66	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 2 mile transport by lorry.	m ³	3,700.00
SPID/CON/C/67	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 2 1/4 mile transport by tractor.	m ³	3,224.00

SPID/CON/C/68	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 2 1/4 mile transport by lorry.	m ³	3,781.00
SPID/CON/C/69	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 2 1/2 mile transport by tractor.	m ³	3,268.00
SPID/CON/C/70	Earth excavation from borrow area & forming canal bund including placing, watering, compacting & 2 1/2 mile transport by lorry.	m ³	3,863.00
SPID/CON/C/71	Forming canal bund using dredge materials, including placing, compacting manually.	m ³	803.00
SPID/CON/C/72	Picking roots in dam embankment/ canal/ backfilling by manually	m ³	86.00
SPID/CON/C/73	Earth spreading in dam embankment/ canal/ backfilling by manually	m ³	321.00
SPID/CON/C/74	Earth compaction in dam embankment excluding watering by manually	m ³	367.00
SPID/CON/C/75	Earth compaction in canal/backfilling excluding watering by manually	m ³	321.00
SPID/CON/C/76	Watering for compaction of dam embankment	m ³	39.00
SPID/CON/C/77	Watering for compaction in canal / backfill	m ³	25.00
D – From work			
SPID/CON/D/01	12mm thick plywood furnishing, making smooth form work each of 3 uses including fixing and removing	m ²	3,748.00
SPID/CON/D/02	15mm thick plywood furnishing, making smooth form each 03 uses including fixing and removing	m ²	3,820.00
SPID/CON/D/03	Timber shoring for excavation (class III)	m ²	1,307.00
E-Reinforcem	nent		
SPID/CON/E/01	Furnishing, cutting, bending & placing tor steel reinforcement	kg	508.00
SPID/CON/E/02	Furnishing, cutting, bending & placing mild steel reinforcement	kg	479.00
SPID/CON/E/03	Supplying & fixing 16 mm dia 450 mm long tor steel dowels including drilling and grouting. (dowel length 450 mm)	No.	1,463.00
SPID/CON/E/04	Supplying & fixing 20 mm dia 450 mm long tor steel dowels including drilling and grouting. (dowel length 450 mm)	No.	1,629.00
SPID/CON/E/05	Supplying & fixing 25 mm dia 450 mm long tor steel dowels including drilling and grouting. (dowel length 450 mm)	No.	1,885.00
SPID/CON/E/06	Supplying & fixing 12 mm dia 450 mm long tor steel dowels including drilling and grouting. (dowel length 450 mm)	No.	1,335.00

1.7

F- Concrete wo	rk		
SPID/CON/F/01	1:4:8 (40 mm) cement concrete excluding form work, by manually including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	34,510.00
SPID/CON/F/02	1:4:8 (40 mm) cement concrete excluding form work, by mixer including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	29,997.00
SPID/CON/F/03	1:3:6 (40 mm) cement concrete by manually, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	36,209:00
SPID/CON/F/04	1:3:6 (40 mm) cement concrete by mixer, including 5 km for cement, 8 km for metal and 5 km for sand as transport, excluding form work.	m ³	31,696.00
SPID/CON/F/05	1:3:6 (40 mm) cement concrete by manually, including 5 km for cement, 8 km for metal and 5 km for sand as transport, including form work.	m ³	43,731.00
SPID/CON/F/06	1:3:6 (40 mm) cement concrete by mixer, including 5 km for cement, 8 km for metal and 5 km for sand as transport, including form work.	m ³	39,218.00
SPID/CON/F/07	1:3:6(25 mm) Cement concrete without shuttering by manually, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	36,243.00
SPID/CON/F/08	1:3:6(25 mm) Cement concrete without shuttering by mixer, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	31,731.00
SPID/CON/F/09	1:3:6 (25 mm) Cement concrete with shuttering by manually, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	43,765.00
SPID/CON/F/10	1:3:6 (25 mm) Cement concrete with shuttering by mixer, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	39,253.00
SPID/CON/F/11	1:2:4(20 mm) Cement concrete without shuttering by manually, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	39,130.00
SPID/CON/F/12	1:2:4(20 mm) Cement concrete without shuttering by mixer, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	34,939.00
SPID/CON/F/13	1:2:4 (20mm) Cement concrete by manually, including 5 km for cement, 8 km for metal and 5 km for sand as transport, including form work	m ³	49,159.00
SPID/CON/F/14	1:2:4 (20mm) Cement concrete by mixer, including 5 km for cement, 8 km for metal and 5 km for sand as transport, including form work	m ³	44,647.00
SPID/CON/F/15	1:1 1/2:3 (20 mm) Cement concrete without shuttering by manually. including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	41,595.00
SPID/CON/F/16	1:1 1/2:3 (20 mm) Cement concrete without shuttering by mixer. including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	37,082.00
SPID/CON/F/17	1:1 1/2:3 (20 mm) Cement concrete with shuttering by manually,including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	47,863.00
SPID/CON/F/18	1:1 1/2:3 (20 mm) Cement concrete with shuttering by mixer, including 5 km for cement, 8 km for metal and 5 km for sand as transport.	m ³	43,351.00

G-Masonry	work		
	6"- 9" random rubble masonry in 1:5 cement mortar (including local		
SPID/CON/G/01	transport 8 km rubble, 5 km cement with loading/unloading)	m ³	22,031.00
SPID/CON/G/02	9" thick rubble pitching in 1:5 cement mortar (including local	m ²	4,912.00
31 1D/CO14/G/02	transport 8 km rubble, 5 km cement with loading/unloading)	m	4,912.00
SPID/CON/G/03	Furnishing & placing 9" thick rubble rip rap by manually including 8	m ³	11,233.00
	km local transport with loading/unloading		,
SPID/CON/G/04	12" Thick rubble packing including 8 km local transport loading /	m ³	9,562.00
	9" thik rubble packing by manually rate including 8 km transport,		
SPID/CON/G/05	loading / unloading	m ³	6,991.00
SPID/CON/G/06	1/2" Thick rough cement plastering in 1:3 cement mortar including 5	m ²	1,330.00
	km local transport with loading / unloading		
SPID/CON/G/07	225 mm Brick masonry in 1:5 cement mortar (Including 5 km	m ³	33,385.00
St IB/COTVG/07	cement, 5 km sand, 8 km bricks local transport, loading/unloading)	""	33,303.00
	Rate analysis for 112.5mm thick brick masonry in 1:5 cement mortar		
SPID/CON/G/08	(Including 5 km cement, 5 km sand, 8 km bricks local transport,	m 2	4,091.00
	loading/ unloading)		
H – Hume Pi	ne		1
11 Hume 11	Supplying & laying 6" dia hume pipe including local transport,		х з
SPID/CON/H/01	loading /unloading	m	2,922.00
	Supplying & laying 9" dia hume pipe including local transport		
SPID/CON/H/02	loading /unloading.	m	4,132.00
	Supplying, laying & jointing 12"dia hume pipe including local		
SPID/CON/H/03	transport, loading /unloading.	m	7,419.00
	Supplying, laying & jointing 18" dia hume pipe including local		
SPID/CON/H/04	transport, loading /unloading	m	10,821.00
(
SPID/CON/H/05	Supplying, laying & jointing 24"dia hume pipe including local transport, loading /unloading	m	14,546.00
SPID/CON/H/06	Supplying ,laying & jointing 30"dia hume pipe including local	m	21,105.00
	transport, loading /unloading		
SPID/CON/H/07	Supplying, laying & jointing 36"dia hume pipe including local	m	22,268.00
I CI di in	transport, loading /unloading		
J – CI sluice ş	Supplying & fixing 6" dia C.I. sluice gate including all accessories,		
SPID/CON/J/01	main transport, local transport, loading /unloading.	No.	89,888.00
	Supplying & fixing 9" dia C.I. sluice gate including all accessories,		
SPID/CON/J/02	main transport, local transport, loading /unloading.	No.	134,695.00
	Supplying & fixing 12" dia C.I. sluice gate including all accessories,		
SPID/CON/J/03	main transport, local transport, loading /unloading.	No.	148,556.00
Application of the particular	Supplying & fixing 15" dia C.I. sluice gate including all accessories,		
SPID/CON/J/04	main transport, local transport, loading /unloading.	No.	184,556.00
CDID/CON/U05	Supplying & fixing 18" dia C.I. sluice gate including all accessories,	Ma	220.056.00
SPID/CON/J/05	main transport, local transport, loading /unloading.	No.	220,956.00
SPID/CON/J/06	Supplying & fixing 24" dia C.I. sluice gate including all accessories,	No.	341,325.00
	main transport, local transport, loading /unloading.		- 1,525,000
SPID/CON/J/07	Supplying & fixing 30" dia C.I. sluice gate including all accessories,	No.	583,830.00
	main transport, local transport, loading /unloading.		

K - Miscellan	AOUE		
SPID/CON/K/01	Supplying and installation of W x H (0 m < W=Width \leq 1.2 m, lifting gate using (75 x 150) mm Kumbuk timber planks, (75 x 75 x 6)mm Angle iron, (75 x 6)mm Flat iron, 6mm thick Gusset plate, 12mm dia. 125mm long nut & boltetc. Rate including applying two coats of Tar on all surfaces of timber planks & applying two coats of Anticorrosive paint on all Metal parts as directed.	m2	108,653.00
SPID/CON/K/02	Supplying and installation of W x H (1.2 m < W=Width \leq 1.8 m, lifting gate using (75 x 150) mm Kumbuk timber planks, (75 x 75 x 6)mm Angle iron, (75 x 6)mm Flat iron, 6mm thick Gusset plate, 12mm dia. 125mm long nut & boltetc. Rate including applying two coats of Tar on all surfaces of timber planks & applying two coats of Anticorrosive paint on all Metal parts as directed.	m2	96,561.00
SPID/CON/K/03	Supplying and installation of W x H (1.8m < W=Width \leq 2.4 m, lifting gate using (75 x 150) mm kumbuk timber planks,(75 x 75 x 6) mm Angle iron, (75 X 6) mm Flat iron, 6mm thick Gusset plate, 12 mm dia.125mm long nut & boltetc. Rate including applying two coats of Tar on all surface of timber planks & applying two coats of Anticorrosive paint on all Metal parts as directed.	m ²	94,027.00
SPID/CON/K/04	Supply, fabrication and instalation of steel lifting gate WxH (0 <w<1.2m) &all="" 2="" 50mmx50mm(2mmthk)="" 6mm="" and="" applying="" bar,4mm="" box="" coats="" excluding="" gusset="" marine="" materials="" ms="" necessary="" of="" paint="" plate,="" primer="" td="" thk="" transport.<="" using="" with=""><td>m ²</td><td>137,962.00</td></w<1.2m)>	m ²	137,962.00
SPID/CON/K/05	Supply, fabrication and instalation of steel lifting gate WxH (1.2 <w<1.8)m &="" (2mm="" 2="" 50mm="" 6mm="" all="" and="" applying="" bar,4mm="" box="" by="" coats="" excluding="" gussete="" marine="" materials="" ms="" necessary="" of="" paint="" plate="" plate,="" primer="" td="" thk="" thk)="" transport.<="" using="" with="" x=""><td>m ²</td><td>97,530.43</td></w<1.8)m>	m ²	97,530.43
SPID/CON/K/06	Supply, fabrication and installation of 0.9 m height hand rail using 50mm x 50mm gauge 2mm G.I. box bar, 50mm x 25mm gauge 2mm G.I. box bar, 6mm thick MS plate, 12 mm dia. 125 long Anchor bolt etc. Rate including applying two coats of Marine paint on all Metal parts as directed(01 uses) excluding transport	m	9,519.00
SPID/CON/K/07	Suppling and anstallation of 0.9 m high hand rail using 2"φ pakistan heavy GI bar, 1½ φ GI bar 6mm thick MS plate, 12mm dia 125 long anchor bolts etc. Rate including applying 2 caots of anticorossive on all metel parts as directed (without transport)	m	12,755.00
SPID/CON/K/08	Making cofferdam using polysack sand bag. Rate including packing, placing, removing sand bags and clearing sit as directed. (Cofferdam piles size 6m x 0.9m x 1.5m & not exceeding 8.1m3 volume & all material 01 use)	m ³	17,290.00
SPID/CON/K/09	Making cofferdam using polysack sand bag. Rate including packing, placing, removing sand bags and clearing sit as directed. (Cofferdam piles size 6m x 0.9m x 1.5m & not exceeding 8.1m3 volume & all material 02 use)	m ³	12,936.00

SPID/CON/K/10	Providing girders with 75mm x 150mm x 75mm thk 6mm with all necessary other metel parts including suppling, making & fixing excluding transport		23,194.00
SPID/CON/K/11	Supplying, cutting, bending, drilling and fixing 200mm long hook for anicut planks. Using 16mm x 16mm flat iron & 40mm long brass screw nails. Rate including applying two coats of anticorrosive paints	No.	445.00
SPID/CON/K/12	Supplying and placing PVC coated Gabion boxes(Mesh Wire Dia 2.7,selvadge wire dia 3.4 Lacing Wire Dia 2.2),including 40% 6"x9" & 60% 6"x4"rubble packing x 100mm, Placing (Diaphragms 1.0m centers) and arranging along the channal for 1x1.0x1.0m Gabion box (including transport 8 km for rubble, 50 km for gabion boxes)	m ³	26,219.00
SPID/CON/K/13	Supplying and placing PVC coated Gabion boxes(Mesh Wire Dia 2.7,selvadge wire dia 3.4 Lacing Wire Dia 2.2),including 40% 6"x9" & 60% 6"x4"rubble packing x 100mm, Placing (Diaphragms 1.0m centers) and arranging along the channal for 1.5x1.0x1.0m Gabion box (including transport 8 km for rubble, 50 km for gabion boxes)	m ³	22,808.00
SPID/CON/K/14	Supplying and placing PVC coated Gabion boxes(Mesh Wire Dia 2.7, selvadge wire dia 3.4 Lacing Wire Dia 2.2), including 40% 6"x9" & 60% 6"x4"rubble packing x 100mm, Placing (Diaphragms 1.0m centers) and arranging along the channal for 2x1.0x1.0m Gabion box (including transport 8 km for rubble, 50 km for gabion boxes)	m ³	21,849.00
SPID/CON/K/15	Supplying and placing PVC coated Gabion boxes(Mesh Wire Dia 2.7, selvadge wire dia 3.4 Lacing Wire Dia 2.2), including 40% 6"x9" & 60% 6"x4"rubble packing x 100mm, Placing (Diaphragms 1.0m centers) and arranging along the channal for 3x1.0x1.0m Gabion box (including transport 8 km for rubble, 50 km for gabion boxes)	m ³	21,400.00
SPID/CON/K/16	Supplying and placing PVC coated Gabion boxes(Mesh Wire Dia 2.7,selvadge wire dia 3.4 Lacing Wire Dia 2.2),including 40% 6"x9" & 60% 6"x4"rubble packing x 100mm, Placing (Diaphragms 1.0m centers) and arranging along the channal for 2x1.0x0.5m Gabion box (including transport 8 km for rubble, 50 km for gabion boxes)	m ³	28,482.00
SPID/CON/K/17	Supplying & laying Geotextile with Polyfelt Geotextile TS 65 285 GSM thickness 2.5mm	m ²	504.00
SPID/CON/K/18	Supplying & applying 2 coast of hot tar for anicut gate	m ²	477.00
SPID/CON/K/19	Providing of weep hole using 3" dia. (600)PVC pipes	m	1,572.00
SPID/CON/K/20	Construction of filter for weep hole	ft ³	614.00
SPID/CON/K/21	Applying 2 coats of Anticorrosive Paint for an existing Lifting gate (Wooden)	m ²	1,379.00

SPID/CON/K/22	Grass cutting by cutter machine	m ²	31.00
SPID/CON/K/23	Applying anticorrosive paints (2 coats) for 50 x 50 box bar hand raill	Lm	768.00
SPID/CON/K/24	Locking arrangement for anicut planks of existing anicut using 50mm x 6m flat iron with 2 holes and 2 nos 10mm dia. MS Steel hooks, Including pad lock and applying Marine paint (As per drawing)		4,849.00
SPID/CON/K/25	Locking arrangements for security of anicut planks in an anicut gate	Nos	2,469.00
SPID/CON/K/26	Applying 2 coats of Anticorrosive paint for an existing Lifting gate (steel gate)	m ²	8,281.00
SPID/CON/K/27	Applying 2 coats of Marine Paint for an existing Lifting gate (steel gate)	m ²	9,990.00
SPID/CON/K/28	Suppling 6"x3" Kumbuk stop planks including cutting, Shaping ends (without applying tar and fixing hooks)	m ²	56,521.00
SPID/CON/K/29	Prepairing groves with all necessary metal parts excluging material transport	Lm	12,491.00

Prepared by:

D.P. Kokila

Drawing Office Assistant

Recommended by:

L.V.D. Sanjeewa

Chief Irrigation Engineer

Checked By:

H.M.M. Priyashan Design Engineer

Approved By:

D.N.W.Dissanayake
Provincial Director of Irrigation
Eng.D.N.W.Dissanayake
Provincial Director of Irrigation
Provincial Irrigation Department
Southern Province

Rates for Machinary

Item code	Description	Uni t	Rate 2026
SPID/MACH/A/01	Dredging along the channel by Hydraulic Excavator with pontoon (Up to PC 60)	m ³	279.00
SPID/MACH/A/02	Dredging along the channel by Hydraulic Excavator without pontoon (Up to PC 60)	m 3	245.00
SPID/MACH/A/03	Dredging along the channel by Hydraulic Excavator with pontoon (Over PC 70)	m ³	418.00
SPID/MACH/A/04	Dredging along the channel by Hydraulic Excavator without pontoon (Over PC 70)	m ³	369.00
SPID/MACH/A/05	Channel desilting by Hydraulic Excavator with pontoon (Up to PC 60)	m ³	355.00
SPID/MACH/A/06	Channel desilting by Hydraulic Excavator without pontoon (Over PC 60)	m ³	306.00
SPID/MACH/A/07	Channel desilting by Hydraulic Excavator with pontoon (Over PC 70)	m ³	355.00
SPID/MACH/A/08	Channel desilting by Hydraulic Excavator without pontoon (Over PC 70)	m ³	317.00
SPID/MACH/A/09	Channel desilting by Hydraulic Excavator with pontoon (Over PC 200)	m ³	186.00
SPID/MACH/A/10	Channel desilting by Hydraulic Excavator without pontoon (Over PC 200)	m ³	177.00
emoving Water P	lants		
SPID/MACH/B/01	Removing water plants with silt layer in root zone by Hydraulic Excavator with pontoon (Up to PC 60)	m ³	204.00
SPID/MACH/B/02	Removing water plants with silt layer in root zone by Hydraulic Excavator without pontoon (Up to PC 60)	m ³	182.00
SPID/MACH/B/03	Removing water plants with silt layer in root zone by Hydraulic Excavator with pontoon (over PC 70)	m ³	308.00
SPID/MACH/B/04 Removing water plants with silt layer in root zone by Hydraulic Excavator without pontoon (Over PC 70) C - Removing Ketala Removing ketala with silt along the channel by Hydraulic Excavator			
C – Removing	Ketala .		
SPID/MACH/C/01	Removing ketala with silt along the channel by Hydraulic Excavator with pontoon (Up to PC 60)	m ³	258.00
SPID/MACH/C/02	Removing ketala with silt along the channel by Hydraulic Excavator without pontoon (Up to PC 60)	m ³	227.00
SPID/MACH/C/03	Removing ketala with silt along the channel by Hydraulic Excavator with pontoon (Over PC 70)	m ³	388.00
SPID/MACH/C/04	Removing ketala with silt along the channel by Hydraulic Excavator without pontoon (Over PC 70)	m ³	344.00
SPID/MACH/C/05	Removing (loading) dredged materials by machinery as directed.	m ³	214.00
SPID/MACH/C/06	Channel clearing including removal of water plants, suspended matter deposited and dump out of the reservation by machinery	m ²	51.00
D – Earthwork			
SPID/MACH/D/01	Stripping top soil by Backhoe loader	m ³	87.00
SPID/MACH/D/02	Earth Compaction by vibrating roller (1/2 - 1 ton) (PBC - 56.6)	m ³	314.00
SPID/MACH/D/03	Earth Compaction by vibrating rammer (60 kg)	m ³	187.00

SPID/MACH/D/04	Formation bund from dredge materials and field earth including placing & compacting by machinery.	m ³	362.00
SPID/MACH/D/05	Cutting Sand bar by machine at sea out falls (without transport)	m ³	513.00
SPID/MACH/D/06	Chanel excavation & spoil for bund back fill dump by department machine with pontoon. (only operating cost)	m ³	87.00
SPID/MACH/D/07	Formation bund from dredged materials & field earth placing compacting by department machine. (only operating cost)	m ³	127.00
SPID/MACH/D/08	Earth Excavation by machinery – using backhoe loader	m ³	207.00
SPID/MACH/D/09	Earth excavation and spoil to waste or fill material cut and lift (0-1.5)m spread 30m by machinery	m ³	280.00
SPID/MACH/D/10	Earth excavation and spoil to waste or fill material cut and lift (1.5 - 3.0)m spread 30m by machinery	m ³	287.00
SPID/MACH/D/11	Furnishing and placing gravel bedding excluding haul (by machinery)	m ³	326.00
SPID/MACH/D/12	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 1/4 mile transport by Tractor(For watering paid by separately)	m ³	887.00
SPID/MACH/D/13	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 1/2 mile transport by Tractor (For watering paid by separately	m ³	906.00
SPID/MACH/D/14	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 3/4 mile transport by Tractor (For watering paid by separately	m ³	947.00
SPID/MACH/D/15	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 1 mile transport by Tractor (For watering paid by separately	m ³	987.00
SPID/MACH/D/16	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 1 1/4 mile transport by Tractor (For watering paid by separately	m ³	1,027.00
SPID/MACH/D/17	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 1 1/2 mile transport by Tractor (For watering paid by separately	m ³	1,067.00
SPID/MACH/D/18	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 1 3/4 mile transport by Tractor (For watering paid by separately	m ³	1,108.00

1,148.00	m ³	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 2 mile transport by Tractor (For watering paid by separately	SPID/MACH/D/19
. 1,188.00	m ³	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 2 1/4 mile transport by Tractor(For watering paid by separately	SPID/MACH/D/20
1,228.00	m ³	Earth excavation borrow and loading, placing, spreding, by Backhoe loader and compacting by 8T Roller watering to be done as per Engineers instruction & 2 1/2 mile transport by Tractor (For watering paid by separately	SPID/MACH/D/21
766.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within ¼ mile by tractor	SPID/MACH/D/22
806.00	m ³	Tank bed desilting & silt transporting and depositing within 1/2 mile by using PC 30 backhoe excavator by tractor	SPID/MACH/D/23
846.00	m ³	Tank bed desilting & silt transporting and depositing within 3/4 mile by using PC 30 backhoe excavator by tractor	SPID/MACH/D/24
886.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within 1 mile by tractor	SPID/MACH/D/25
927.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within 1 ¼ mile by tractor	SPID/MACH/D/26
967.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within 1 ½ mile by tractor	SPID/MACH/D/27
1,007.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within 1 ¾ mile by tractor	SPID/MACH/D/28
1,047.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within 2 mile by tractor	SPID/MACH/D/29
1,087.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within 2 1/4 mile by tractor	SPID/MACH/D/30
1,128.00	m ³	Tank bed desilting by using PC 30 backhoe excavator & silt transporting and depositing within 2 ½ mile by tractor	SPID/MACH/D/31
777.00	m ³	Tank bed desilting by using PC 70 backhoe excavator & silt transporting and depositing within ¼ mile by tractor	SPID/MACH/D/32
818.00	m ³	Tank bed desilting by using PC 70 backhoe excavator & silt transporting and depositing within 1/2 mile by tractor	SPID/MACH/D/33
858.00	m ³	Tank bed desilting by using PC 70 backhoe excavator & silt transporting and depositing within 3/4 mile by tractor	SPID/MACH/D/34
898.00	m ³	Tank bed desilting by using PC 70 backhoe excavator & silt transporting and depositing within 1 mile by tractor	SPID/MACH/D/35

938.00	m ³	silt	&	Tank bed desilting by using PC 70 backhoe excavator transporting and depositing within 1 ¼ mile by tractor	SPID/MACH/D/36
978.00	m ³	silt	&	Tank bed desilting by using PC 70 backhoe excavator transporting and depositing within 1 ½ mile by tractor	SPID/MACH/D/37
1,019.00	m ³	silt	&	Tank bed desilting by using PC 70 backhoe excavator transporting and depositing within 1 3/4 mile by tractor	SPID/MACH/D/38
1,059.00	m ³	silt	&	Tank bed desilting by using PC 70 backhoe excavator transporting and depositing within 2 mile by tractor	SPID/MACH/D/39
1,099.00	m ³	silt	&	Tank bed desilting by using PC 70 backhoe excavator transporting and depositing within 2 1/4 mile by tractor	SPID/MACH/D/40
1,139.00	m ³	silt	&	Tank bed desilting by using PC 70 backhoe excavator transporting and depositing within 2 ½ mile by tractor	SPID/MACH/D/41
766.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within ¼ mile by tractor	SPID/MACH/D/42
806.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 1/2 mile by tractor	SPID/MACH/D/43
846.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 3/4 mile by tractor	SPID/MACH/D/44
886.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 1 mile by tractor	SPID/MACH/D/45
927.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 1 1/4 mile by tractor	SPID/MACH/D/46
967.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 1 ½ mile by tractor	SPID/MACH/D/47
1,007.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 1 ¾ mile by tractor	SPID/MACH/D/48
1,047.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 2 mile by tractor	SPID/MACH/D/49
1,087.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 2 ¼ mile by tractor	SPID/MACH/D/50
1,128.00	m ³	silt	&	Tank bed desilting by using PC 120 backhoe excavator transporting and depositing within 2 ½ mile by tractor	SPID/MACH/D/51
637.00	m ³	silt	&	Tank bed desilting by using PC 200 backhoe excavator transporting and depositing within ¼ mile by tractor	SPID/MACH/D/52
678.00	m ³	silt	&	Tank bed desilting by using PC 200 backhoe excavator transporting and depositing within 1/2 mile by tractor	SPID/MACH/D/53

SPID/MACH/D/54	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 3/4 mile by tractor	m ³	718.00
SPID/MACH/D/55	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 1 mile by tractor	m ³	758.00
SPID/MACH/D/56	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 1 1/4 mile by tractor	m ³ .	798.00
SPID/MACH/D/57	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 1 ½ mile by tractor	m ³	838.00
SPID/MACH/D/58	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 1 3/4 mile by tractor	m ³	879.00
SPID/MACH/D/59	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 2 mile by tractor	m ³	919.00
SPID/MACH/D/60	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 2 1/4 mile by tractor	m ³	959.00
SPID/MACH/D/61	Tank bed desilting by using PC 200 backhoe excavator & silt transporting and depositing within 2 ½ mile by tractor	m ³	999.00
SPID/MACH/E/01	Heavy Jungle clearing by machinary (D-6 Dozer or Track line)	m²	7.68
SPID/MACH/E/02	Light jungle clearing by machinary (D-6 Dozer or Track line)	m ²	4.60
SPID/MACH/E/03	Secondary growth clearing by machinary (D- 6 Dozer or Track line	m ²	2.30
SPID/MACH/E/04	Shrub jungle by machinary	m^2	3.60

Prepared by:

D.P. Kokila

Drawing Office Assistant

Recommended by:

L.V.D. Sanjeewa

Chief Irrigation Engineer

Checked By:

H.M.M. Priyashan Design Engineer

Approved By:

D.N.W.Dissanayake Provincial Director of Irrigation

Eng.D.N.W.Dissanayake
Provincial Director of Irrigation
Provincial Irrigation Department
Southern Province

Tank bed desilting by PC 30 backhoe excavater & silt loading transporting and depositting by machinary 12 m³ h⁻¹
3333.33
277.78
3 h⁻¹

11 11

II 11

Hourly plant rate
Rate per 1 m³ = Hourly plant rate /12PC 30 Backhoe excavater out put per hour

MACH/D/31	MACH/D/30	MACH/D/29	MACH/D/27 MACH/D/28 MACH/D/29 MACH/D/30 MACH/D/31	MACH/D/27	MACH/D/26	MACH/D/25	MACH/D/22 MACH/D/23 MACH/D/24 MACH/D/25 MACH/D/26	MACH/D/23	MACH/D/22	Rate No
1128.00	1087.00	1047.00	1007.00	967.00	927.00	886.00	846.00	806.00	766.00	Say
1127.69	1087.47	1047.26	1007.04	966.82	926.61	886.39	846.17	805.96	765.74	Unit Rate per 1 m ³
102.52	98.86	95.21	91.55	87.89	84.24	80.58	76.92	73.27	69.61	profit 10%
1025.17	988.61	952.05	915.49	878.93	842.37	805.81	769.25	732.69	696.13	Basic rate
606.14	569.58	533.02	496.46	459.90	423.34	386.78	350.22	313.66	277.10	tpt by tractor per m ³
2.832	2.832	2.832	2.832	2.832	2.832	2.832	2.832	2.832	2.832	cu \longrightarrow m ³ factor
1716.60	1613.06	1509.52 ·	1405.98	1302.44	1198.91	1095.37	991.83	888.29	784.75	Tx min the of nace of her en
CON/C/48	CON/C/46	CON/C/44	CON/C/42	CON/C/40	CON/C/38	CON/C/36	CON/C/34	CON/C/32	CON/C/30	Y mile tot by tract or ner on
141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	Loading by backhoe loader basic rate per l
277.78	277.78	277.78	277.78	277.78	277.78	277.78	277.78	277.78	277.78	Tank bed desilting by pc 30 backhoe excavater basic rate per 1 m ³
2 1/2 mile	2 1/4 mile	2 mile	1 ^{3/4} mile	1 ^{1/2} mile	1 ^{1/4} mile	1 mile	^{3/4} mile	1/2 mile	1/4 mile	
						,				
								141.25	11	Rate per $1 \text{ m}3 = \text{Hourly plant rate } /40$
								5650.00	Ш	Hourly plant rate
			í					$40 \text{ m}^3 \text{ h}^{-1}$	II	backhoe loader out put per hour

Tank bed desilting by PC 70 backhoe excavater & silt loading transporting and depositting by machinary

PC 70 Backhoe excavater out put per hour	11	20.00	m ³ h ⁻¹
Hourly plant rate	II	5,766.67	
Rate per $1 \text{ m}^3 = \text{Hourly plant rate} /20$	II	288.33	

Hourly plant rate

11 11

backhoe loader out put per hour

40 m3 h-1 5,650.00

MACH/D/41	MACH/D/40	MACH/D/39	MACH/D/37 MACH/D/38 MACH/D/39 MACH/D/40 MACH/D/41		MACH/D/36	MACH/D/35	MACH/D/32 MACH/D/33 MACH/D/34 MACH/D/35 MACH/D/36	MACH/D/33	MACH/D/32	Rate No
1,139.00	1,099.00	1,059.00	1,019.00	978.00	938.00	898.00	858.00	818.00	777.00	Say
1,139.30	1,099.08	1,058.87	1,018.65	978.43	938.22	898.00	857.79	817.57	777.35	Unit Rate per 1 m ³
103.57	99.92	96.26	92.60	88.95	85.29	81.64	77.98	74.32	70.67	profit 10%
1,035.73	999.17	962.61	926.05	889.49	852.93	816.37	779.81	743.25	706.69	Basic rate
606.14	569.58	533.02	496.46	459.90	423.34	386.78	350.22	313.66	277.10	tpt. by tractor per m ³
2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	cum³ factor
1,716.60	1,613.06	1,509.52	1,405.98	1,302.44	1,198.91	1,095.37	991.83	888.29	784.75	As mine the of mare. Or her en
CON/C/48	CON/C/46	CON/C/44	CON/C/42	CON/C/40	CON/C/38	CON/C/36	CON/C/34	CON/C/32	CON/C/30	Y mile tot by tract or per ou
141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	Loading by backhoe loader basic rate per l
288.33	288.33	288.33	288.33	288.33	288.33	288.33	288.33	288.33	288.33	Tank bed desilting by pc 70 backhoe excavater basic rate per 1 m ³
2 ^{1/2} mile	2 1/4 mile	2 mile	1 ^{3/4} mile	$1^{-1/2}$ mile	1 1/4 mile	1 mile	^{3/4} mile	^{1/2} mile	^{1/4} mile	
								141.25	11	Rate per 1 m3=Hourly plant rate /40

Tank bed desilting by PC120 backhoe excavater & silt loading transporting and depositting by machinary

MACH/D/51	MACH/D/50	MACH/D/47 MACH/D/48 MACH/D/49 MACH/D/50 MACH/D/51	MACH/D/48	100000	MACH/D/46	MACH/D/42 MACH/D/43 MACH/D/44 MACH/D/45 MACH/D/46	MACH/D/44	MACH/D/43	MACH/D/42	Rate No
1,128.00	1,087.00	1,047.00	1,007.00	967.00	927.00	886.00	846.00	806.00	766.00	Say
1,127.69	1,087.47	1,047.26	1,007.04	966.82	926.61	886.39	846.17	805.96	765.74	Unit Rate per 1 m ³
102.52	98.86	95.21	91.55	87.89	84.24	80.58	76.92	73.27	69.61	profit 10%
1,025.17	988.61	952.05	915.49	878.93	842.37	805.81	769.25	732.69	696.13	Basic rate
606.14	569.58	533.02	496.46	459.90	423.34	386.78	350.22	313.66	277.10	tpt by tractor per m ³
2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	cu m³ factor
1,716.60	1,613.06	1,509.52	1,405.98	1,302.44	1,198.91	1,095.37	991.83	888.29	784.75	ex mino the of maxe. At her en
CON/C/48	CON/C/46	CON/C/44	CON/C/42	CON/C/40	CON/C/38	CON/C/36	CON/C/34	CON/C/32	CON/C/30	Y mile tot by tract or per ou
141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	Loading by backhoe loader basic rate per l
277.78	277.78	277.78	277.78	277.78	277.78	277.78	277.78	277.78	277.78	Tank bed desilting by pc 30 backhoe excavater basic rate per 1 m ³
2 1/2 mile	2 1/4 mile	2 mile	1 ^{3/4} mile	1 1/2 mile	1 1/4 mile	1 mile	^{3/4} mile	1/2 mile	1/4 mile	
				20		,		141.25		Rate per $1 \text{ m}3 = \text{Hourly plant rate } /40$
								5650.00	II	Hourly plant rate
								$40 \text{ m}^3 \text{ h}^{-1}$	Ш	backhoe loader out put per hour
	2	(277.78	Ш	Rate per 1 m ³ = Hourly plant rate /30
								8333.33	Ш	Hourly plant rate
								30m ³ h ⁻¹	II	PC 120 Backhoe excavater out put per hour

Tank bed desilting by PC 200 backhoe excavater & silt loading transporting and depositting by machinary

60 m3h-1 9,666.67

Hourly plant rate

PC 200 Backhoe excavater out put per hour

MACH/D/61	MACH/D/60	MACH/D/53 MACH/D/54 MACH/D/55 MACH/D/56 MACH/D/57 MACH/D/58 MACH/D/59 MACH/D/60 MACH/D/61	MACH/D/58	MACH/D/57	MACH/D/56	MACH/D/55	MACH/D/54	MACH/D/53	MACH/D/52	Rate No
999.00	959.00	919.00	879.00	838.00	798.00	758.00	718.00	678.00	637.00	Say
999.35	959.14	918.92	878.71	838.49	798.27	758.06	717.84	677.63	637.41	Unit Rate per 1 m ³
90.85	87.19	83.54	79.88	76.23	72.57	68.91	65.26	61.60	57.95	profit 10%
908.50	871.94	835.38	798.82	762.26	725.70	689.14	652.58	616.02	579.46	Basic rate
606.14	569.58	533.02	496.46	459.90	423.34	386.78	350.22	313.66	277.10	tpt by tractor per m ³
2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	2.83	cu —>m³ factor
1,716.60	1,613.06	1,509.52	1,405.98	1,302.44	1,198.91	1,095.37	991.83	888.29	784.75	A min the of nace. or per on
CON/C/48	CON/C/46	CON/C/44	CON/C/42	CON/C/40	CON/C/38	CON/C/36	CON/C/34	CON/C/32	CON/C/30	V mile by by tract or per on
141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	141.25	Loading by backhoe loader basic rate per 1 m3
161.11	161.11	161.11	161.11	161.11	161.11	161.11	161.11	161.11	161.11	Tank bed desilting by pc 200 backhoe excavater basic rate per 1 m ³
2 1/2 mile	2 ^{1/4} mile	2 mile	1 ^{3/4} mile	1 ^{1/2} mile	1 1/4 mile	1 mile	^{3/4} mile	1/2 mile	1/4 mile	
	2							141.25	11	Rate per 1 m3 = Hourly plant rate/40
								5,650.00	II	Hourly plant rate
w.		İ						40 m3 h-1	II	backhoe loader out put per hour
	(6)							161.11	11	Rate per $1 \text{ m}^3 = 10425/60 = \text{Rs}$.

Prepared by:

D.P. Kokila

Drawing Office Asistant

Checked by

Design Engineer H.M.M. Priyashan

Recommended by:

L.V.D. Sanjeewa Chief Irrigation Engineer

Approved by:

Provincial Director of Irrigation D.N.W.Dissanayake

Provincial Irrigation Department Provincial Director of Irrigation Eng.D.N.W.Dissanayake Southern Province

Transport by Tractor - In Mile

																Hi		Hu	H_{W}		
						*										561.00		1557.00	2236.00		
5.00	4.75	4.50	4.25	4.00	3.75	3.50	3.25	3.00	2.75	2.50	2.25	2.00	1.75	1.50	1.25	1.00	0.75	0.50	0.25	Mile	,
2751.98	2648.44	2544.90	2441.36	2337.83	2234.29	2130.75	2027.21	1923.67	1820.13	1716.60	1613.06	1509.52	1405.98	1302.44	1198.91	1095.37	991.83	888.29	784.75	1 Cube Earth/Sand	
1253.01	1224.02	1195.03	1166.04	1137.05	1108.06	1079.07	1050.08	1021.09	992.10	963.11	934.12	905.13	876.13	847.14	818.15	789.16	760.17	731.18	702.19	1 Sq Turfing	
25.06	24.48	23.90	23.32	22.74	22.16	21.58	21.00	20.42	19.84	19.26	18.68	18.10	17.52	16.94	16.36	15.78	15.20	14.62	14.04	1 ft ³ Timber	
1118.76	1092.88	1066.99	1041.11	1015.22	989.34	963.46	937.57	911.69	885.80	859.92	834.03	808.15	782.26	756.38	730.49	704.61	678.73	652.84	626.96	1 Ton Steel	
52.21	51.00	• 49.79	48.59	47.38	46.17	44.96	43.75	42.55	41.34	40.13	38.92	37.71	36.51	35.30	34.09	32.88	* 31.67	30.47	29.26	1 Bag Cement	Material
3210.64	3089.85	2969.05	2848.26	2727.46	2606.67	2485.87	2365.08	2244.29	2123.49	2002.70	1881.90	1761.11	1640.31	1519.52	1398.72	1277.93	1157.13	1036.34	915.54	1 Cube Metal	al
24.86	24.29	23.71	23.14	22.56	21.99	21.41	20.83	20.26	19.68	19.11	18.53	17.96	17.38	16.81	16.23	15.66	15.08	14.51	13.93	1 ft long Hume Pipe (Dia. 6",9",12")	
65.26	63.75	62.24	60.73	59.22	57.71	56.20	54.69 ·	53.18	51.67	50.16	48.65	47.14	45.63	44.12	42.61	41.10	39.59	38.08	36.57	1 ft long Hume Pipe (Dia. 6",9",12") 1 ft long Hume Pipe Hume Pipe (Dia. 18",24") (Dia. 30",36")	
97.89	95.63	93.36	91.10	88.83	86.57	84.30	82.04	79.77	77.51	75.24	72.98	70.71	68.45	66.18	63.92	61.65	59.39	57.12	54.86	1 ft long Hume Pipe (Dia. 30",36")	

Transport by Tractor - In Mile

					Material	al			
Mile	1 Cube	1 Sq	$1\mathrm{ft}^3$	1 Ton	1 Bag	1 Cube	1 ft long Hume Pipe	1 ft long	1 ft long
	Earth/Sand	Turfing	Timber	Steel	Cement	Metal	(Dia. 6",9",12")	Hume Pipe Hume Pipe (Dia. 18",24") (Dia. 30",36")	Hume Pipe (Dia. 30",36
5.25	2855.52	1282.00	25.64	1144.65	53.42	3331.44	25.44	66.77 .	100.16
5.50	2959.06	1311.00	26.22	1170.53	54.62	3452.23	26.01	68.28	102.42
5.75	3062.59	1339.99	26.80	1196.42	55.83	3573.03	26.59	69.79	104.69
6.00	3166.13	1368.98	27.38	1222.30	- 57.04	3693.82	27.16	71.30	106.95
6.25	3269.67	1397.97	27.96	1248.19	58.25	3814.61	27.74	72.81	109.22
6.50	3373.21	1426.96	28.54	1274.07	59.46	3935.41	28.31	74.32	111.48
6.75	3476.75	1455.95	29.12	1299.95	60.66	4056.20	28.89	75.83	113.75
7.00	3580.28	1484.94	29.70	1325.84	61.87	4177.00	29.46	77.34	116.01
7.25	3683.82	1513.93	30.28	1351.72	63.08	4297.79	30.04	78.85 .	118.28
7.50	3787.36	1542.92	30.86	1377.61	64.29	4418.59	30.61	80.36	120.54
7.75	3890.90	1571.91	31.44	1403.49	65.50	4539.38	31.19	81.87	122.81
8.00	3994.44	1600.90	32.02	1429.38	66.70	4660.18	31.76	83.38	125.07
8.25	4097.98	1629.89	32.60	1455.26	67.91	4780.97	32.34	84.89	127.34
8.50	4201.51	1658.88	33.18	1481.15	69.12	4901.77	32.91	86.40	129.60
8.75	4305.05	1687.87	33.76	1507.03	70.33	5022.56	33.49	87.91	131.87
9.00	4408.59	1716.87	34.34	1532.92	71.54	5143.36	34.06	89.42	134.13
9.25	4512.13	1745.86	34.92	1558.80	72.74	5264.15	34.64	90.93	136.39
9.50	4615.67	1774.85	35.50	1584.68	73.95	5384.94	35.22	92.44	138.66
9.75	4719.20	1803.84	36.08	1610.57	75.16	5505.74	35.79	93.95	140.92
10.00	4822.74	1832.83	36.66	1636.45	76.37	5626.53	36.37	95.46	143.19

Transport by Tractor - In Km

																Hi		Hu	H_{W}				
																561.00		1557.00	2236.00				
5.00	4.75	4.50	4.25	4.00	3.75	3.50	3.25	3.00	2.75	2.50	2.25	2.00	1.75	1.50	1.25	1.00	0.75	0.50	0.25		km		Distance
3.13	2.97	2.81	2.66	2.50	2.34	2.19	2.03	1.88	1.72	1.56	1.41	1.25	1.09	0.94	0.78	0.63	0.47	0.31	0.16		Mile		ance
1975.44	1910.73	1846.02	1781.31	1716.60	1651.89	1587.17	1522.46	1457.75	1393.04	1328.33	1263.62	1198.91	1134.19	1069.48	1004.77	940.06	875.35	810.64	745.93	d	Earth/San	1 Cube	
1035.58	1017.46	999.35	981.23	963.11	944.99	926.87	908.75	890.63	872.51	854.39	836.27	818.15	800.03	781.92	763.80	745.68	727.56	709.44	691.32	1 urung	1 Sq	1	
20.71	20.35	19.99	19.62	19.26	18.90	18.54	18.17	17.81	17.45	17.09	16.73	16.36	16.00	15.64	15.28	14.91	14.55	14.19	13.83	Limber	1 ft ³	,	
924.63	908.45	892.27	876.09	859.92	843.74	827.56	811.38	795.21	779.03	762.85	746.67	730.49	714.32	698.14	681.96	665.78	649.60	633.43	617.25	Steel	1 Ton	ì	
43.15	42.39	41.64	40.88	40.13	39.37	38.62	37.86	37.11	36.35	35.60	34.84	34.09	33.33	32.58	31.82	31.07	30.31	29.56	28.80	Cement	1 Вад	1	Ma
2304.68	2229.19	2153.69	2078.19	2002.70	1927.20	1851.70	1776.21	1700.71	1625.21	1549.72	1474.22	1398.72	1323.23	1247.73	1172.23	1096.74	1021.24	945.74	870.25	Metai	1 Cube)	Material
20.55	20.19	19.83	19.47	19.11	18.75	18.39	18.03	17.67	17.31	16.95	16.59	16.23	15.87	15.51	15.15	14.80	14.44	14.08	13.72	(Dia. 6",9",12")	Hume Pipe	1 ft long	
53.94	52.99	52.05	51.11	50.16.	49.22	48.27	47.33	46.39	45.44	44.50	43.56	42.61	41.67	40.72	39.78	38.84	37.89	36.95	36.01	(Dia. 18",24")	ipe	1 ft long	
80.90	79.49	78.07	76.66	75.24	73.83	72.41	71.00	69.58	68.16	66.75	65.33	63.92	62.50	61.09	59.67	58.26	56.84	55.42	54.01	(Dia. 30",36")	Hume Pipe	1 ft long	,

Transport by Tractor - In Km

Distance	ance					Ma	Material			
		1 Cko						1 ft long	1 ft long	1 ft long
Ì	74:10	I Cube	1 Sq	1 ft^3	1 Ton	1 Bag	1 Cube	Hume Pipe	Hume Pipe	Huma Din
KIII	MITA	Earth/San	Turfing	Timber	Steel	Cement	Metal	(Dia.	(Dia.	mune ripe
		Q						6",9",12")	18",24")	(Dia. 30,36)
5.25	3.28	2040.15	1053.70	21.07	940.81	43.90	2380.18	20.91	54.88	82.32
5.50	3.44	2104.86	1071.82	21.44	86.956	44.66	2455.68	21.27	55.82	83.74
5.75	3.59	2169.58	1089.94	21.80	973.16	45.41	2531.17	21.63	56.77	85.15
6.00	3.75	2234.29	1108.06	22.16	989.34	46.17	2606.67	21.99	57.71	86.57
6.25	3.91	2299.00	1126.18	22.52	25.5001	46.92	2682.17	22.34	58.66	87.98
6.50	4.06	2363.71	1144.30	22.89	1021.70	47.68	2757.66	22.70	59.60	89.40
6.75	4.22	2428.42	1162.42	23.25	1037.87	48.43	2833.16	23.06	60.54	90.81
7.00	4.38	2493.13	1180.54	23.61	1054.05	49.19	2908.66	23.42	61.49	92.23
7.25	4.53	2557.84	1198.66	23.97	1070.23	49.94	2984.15	23.78	62.43	93.65
7.50	4.69	2622.56	1216.78	24.34	1086.41	50.70	3059.65	24.14	63.37	95.06
7.75	4.84	2687.27	1234.89	24.70	1102.58	51.45	3135.15	24.50	64.32	96.48
8.00	5.00	2751.98	1253.01	25.06	1118.76	52.21	3210.64	24.86	65.26	97.89
8.25	5.16	2816.69	1271.13	25.42	1134.94	52.96	3286.14	25.22	66.20	99.31
8.50	5.31	2881.40	1289.25	25.79	1151.12	53.72	3361.63	25.58	67.15	100.72
8.75	5.47	2946.11	1307.37	26.15	1167.30	54.47	3437.13	25.94	68.09	102.14
9.00	5.63	3010.82	1325.49	26.51	1183.47	55.23	3512.63	26.30	69.04	103.55
9.25	5.78	3075.54	1343.61	26.87	1199.65	55.98	3588.12	26.66	69.98	104.97
9.50	5.94	3140.25	1361.73	27.23	1215.83	56.74	3663.62	27.02	70.92	106.39
9.75	6.09	3204.96	1379.85	27.60	1232.01	57.49	3739.12	27.38	71.87	107.80
10.00	6.25	3269.67	1397.97	27.96	1248.19	58.25	3814.61	27.74	72.81	109.22

Transport by Lorry - In Mile

																Hi 984.00		Hu 3342.00	H 3804.00					
5.00	4.75	4.50	4.25	4.00	3.75	3.50	3.25	3.00	2.75	2.50	2.25	2.00	1.75	1.50	1.25	1.00	0.75	0.50	0.25	9		Mile		
5049.47	4856.74	4664.01	4471.28	4278.55	4085.82	3893.09	3700.36	3507.63	3314.90	3122.16	2929.43	2736.70	2543.97	2351.24	2158.51	1965.78	1773.05	1580.32	1387.59	па	Lai tii/ Da	Farth/Sa	1 Ciihe	
2260.09	2206.13	2152.16	2098.20	2044.23	1990.27	1936.30	1882.34	1828.38	1774.41	1720.45	1666.48	1612.52	1558.55	1504.59	1450.62	1396.66	1342.69	1288.73	1234.76		Turfing	1 Sq		
45.20	44.12	43.04	41.96	40.88	39.81	38.73	37.65	36.57	35.49	34.41	33.33	32.25	31.17	30.09	29.01	27.93	26.85	25.77	24.70		Timber	1 ft^3		
2017.94	1969.76	1921.57	1873.39	1825.21	1777.03	1728.84	1680.66	1632.48	1584.30	1536.11	1487.93	1439.75	1391.56	1343.38	1295.20	1247.02	1198.83	1150.65	1102.47		Steel	1 Ton		
94.17	91.92	89.67	87.42	85.18	82.93	80.68	78.43	76.18	73.93	71.69	69.44	67.19	64.94	62.69	60.44	58.19	55.95	53.70	51.45		Cement	1 Bag	-	Ma
5891.05	5666.20	5441.35	5216.49	4991.64	4766.79	4541.94	4317.08	4092.23	3867.38	3642.53	3417.67	3192.82	2967.97	2743.12	2518.26	2293.41	2068.56	1843.71	1618.85		Metal	1 Cube		Material
44.84	43.77	42.70	41.63	40.56	39.49	38.42	37.35	36.28	35.21	34.14	33.07	31.99	30.92	29.85	28.78	27.71	26.64	25.57	24.50	6",9",12")	(Dia.	Hume Pipe	1 ft long	
117.71	114.90	112.09	109.28	106.47	103.66	100.85	98.04	95.23	92.42	89.61	86.80	83.99	81.17	78.36	75.55	72.74	69.93	67.12	64.31	18",24")	(Dia.	Hume Pipe	1 ft long	
176.57	172.35	168.14	163.92	159.71	155.49	151.27	147.06	142.84	138.63	134.41	130.19	125.98	121.76	117.55	113.33	109.11	104.90	100.68	96.47	30",36")	(Dia.	Hume Pipe	1 ft long	

1

Transport by Lorry - In Mile

	1 Cibe		,				Mater	Mater
Mile	Earth/Sa	1 Sq	1 ft^3	1 Ton		1 Bag		1 Cube Hu
	nd	Turfing	Timber	Steel		Cement	Cement Metal	
5.25	5242.20	2314.06	46.28	2066.12		96.42	96.42 6115.90	6115.90
5.50	5434.93	2368.02	47.36	2114.30		98.67		6340.76
5.75	5627.66	2421.99	48.44	2162.49		100.92	00.92 6565.61	6565.61
6.00	5820.39	2475.95	49.52	2210.67	1	103.16		
6.25	6013.13	2529.92	50.60	2258.85	1	105.41	05.41 7015.31	
6.50	6205.86	2583.88	51.68	2307.04	1(107.66)7.66 7240.17	
6.75	6398.59	2637.84	52.76	2355.22	1(109.91)9.91 7465.02	
7.00	6591.32	2691.81	53.84	2403.40	11	112.16	2.16 7689.87	
7.25	6784.05	2745.77	54.92	2451.58	11	114.41	4.41 7914.72	
7.50	6976.78	2799.74	55.99	2499.77	11	116.66	6.66 8139.58	
7.75	7169.51	2853.70	57.07	2547.95	1.1	118.90		
8.00	7362.24	2907.67	58.15	2596.13	12	121.15	21.15 8589.28	
8.25	7554.97	2961.63	59.23	2644.31	1.	123.40	23.40 8814.13	
8.50	7747.70	3015.60	60.31	2692.50	1	125.65	25.65 9038.99	
8.75	7940.43	3069.56	61.39	2740.68	1	127.90	27.90 9263.84	
9.00	8133.16	3123.53	62.47	2788.86	1	130.15	30.15 9488.69	9488.69
9.25	8325.89	3177.49	63.55	2837.04	1	132.40	32.40 9713.54	9713.54
9.50	8518.62	3231.45	64.63	2885.23	1	134.64	34.64 9938.40	
9.75	8711.36	3285.42	65.71	2933.41		136.89	36.89 10163.25	
10.00	8904.09	3339.38	66.79	2981.59	1	139.14	39.14 10388.10	

1

Transport by Lorry - In Km

																Hi 984.00		Hu 3342.00	Hw 3804.00					
5.00	4.75	4.50	4.25	4.00	3.75	3.50	3.25	3.00	2.75	2.50	2.25	2.00	1.75	1.50	1.25	1.00	0.75	0.50	0.25		KIII	i		Dist
3.13	2.97	2.81	2.66	2.50	2.34	2.19	2.03	1.88	1.72	1.56	1.41	1.25	1.09	0.94	0.78	0.63	0.47	0.31	0.16		IMITAL	11:15	1	Distance
3603.99	3483.53	3363.08	3242.62	3122.16	3001.71	2881.25	2760.79	2640.34	2519.88	2399.42	2278.97	2158.51	2038.05	1917.60	1797.14	1676.68	1556.23	1435.77	1315.31	d	Earui/Sau	Earth/San	1 Cirks	
1855.36	1821.63	1787.90	1754.17	1720.45	1686.72	1652.99	1619.26	1585.53	1551.81	1518.08	1484.35	1450.62	1416.90	1383.17	1349.44	1315.71	1281.98	1248.26	1214.53	c	Turfing	1 Sq		
37.11	36.43	35.76	35.08	34.41	33.73	33.06	32.39	31.71	31.04	30.36	29.69	29.01	28.34	27.66	26.99	26.31	25.64	24.97	24.29	,	Timber	$1 \mathrm{ft}^3$		
1656.57	1626.46	1596.34	1566.23	1536.11	1506.00	1475.88	1445.77	1415.66	1385.54	1355.43	1325.31	1295.20	1265.08	1234.97	1204.86	1174.74	1144.63	1114.51	1084.40		Steel	1 Ton		
77.31	75.90	74.50	73.09	71.69	70.28	68.87	67.47	66.06	64.66	63.25	61.85	60.44	59.04	57.63	56.23	54.82	53.42	52.01	50.61		Cement	1 Bag		Material
4204.66	4064.12	3923.59	3783.06	3642.53	3501.99	3361.46	3220.93	3080.39	2939.86	2799.33	2658.80	2518.26	2377.73	2237.20	2096.66	1956.13	1815.60	1675.07	1534.53		Metal	1 Cube		rial
36.81	36.14	35.47	34.81	34.14	33.47	32.80	32.13	31.46	30.79	30.12	29.45	28.78	28.11	27.44	26.77	26.11	25.44	24.77	24.10	6",9",12")	(Dia.	Hume Pipe	1 ft long	
96.63	94.88	93.12	91.36	89.61	87.85	86.09	84.34	82.58	80.82	79.07	77.31	75.55	73.80	72.04	70.28	68.53	66.77	65.01	63.26	18",24")	(Dia.	Hume Pipe	1 ft long	
144.95	142.31	139.68	137.04	134.41	131.77	129.14	126.50	123.87	121.23	118.60	115.96	113.33	110.69	108.06	105.42	102.79	100.15	97.52	94.88	30",36")	(Dia.	Hume Pipe	1 ft long	

Transport by Lorry - In Km

Dist	Distance					Material	rial			
		1 Ciihe						1 ft long	09	
ž	Mile	Earth/Can	1 Sq	$1 \mathrm{ft}^3$	1 Ton	1 Bag	1 Cube	Hume Pipe	ipe	H
KIII	MITM	Earthysan	Turfing	Timber	Steel	Cement	Metal	(Dia.		
		ď						6",9",12")	ٿ	1:
5.25	3.28	3724.45	1889.09	37.78	1686.68	78.71	4345.19	37.48		
5.50	3.44	3844.90	1922.81	38.46	1716.80	80.12	4485.72	38.15		100.15
5.75	3.59	3965.36	1956.54	39.13	1746.91	81.52	4626.25	38.82		
6.00	3.75	4085.82	1990.27	39.81	1777.03	82.93	4766.79	39.49		
6.25	3.91	4206.27	2024.00	40.48	1807.14	84.33	4907.32	40.16		105.42
6.50	4.06	4326.73	2057.72	41.15	1837.25	85.74	5047.85	40.83	<i></i>	107.17
6.75	4.22	4447.19	2091.45	41.83	1867.37	87.14	5188.39	41.50	Ŭ	108.93
7.00	4.38	4567.64	2125.18	42.50	1897.48	88.55	5328.92	42.17	7	110.69
7.25	4.53	4688.10	2158.91	43.18	1927.60	89.95	5469.45	42.84		112.44
7.50	4.69	4808.56	2192.64	43.85	1957.71	91.36	5609.98	43.50)) 114.20
7.75	4.84	4929.01	2226.36	44.53	1987.83	92.77	5750.52	44.17	7	
8.00	5.00	5049.47	2260.09	45.20	2017.94	94.17	5891.05	44.84	4	4 117.71
8.25	5.16	5169.93	2293.82	45.88	2048.05	95.58	831.58	45.5		
8.50	5.31	5290.38	2327.55	46.55	2078.17	96.98	6172.12	46.18	8	8 121.23
8.75	5.47	5410.84	2361.28	47.23	2108.28	98.39	6312.65	46.85	5	5 122.98
9.00	5.63	5531.30	2395.00	47.90	2138.40	99.79	6453.18	47.52	2	2 124.74
9.25	5.78	5651.75	2428.73	48.57	2168.51	101.20	6593.71	48.19	9	9 12,6.50
9.50	5.94	5772.21	2462.46	49.25	2198.62	102.60	6734.25	48.86	5	128.25
9.75	6.09	5892.67	2496.19	49.92	2228.74	104.01	6874.78	49.53		130.01
10.00	6.25	6013.13	2529.92	50.60	2258.85	105.41	7015.31	50.20		131.77

100